

Package ‘rasterpic’

June 10, 2022

Title Create a Spatial Raster from Plain Images

Version 0.2.1

Description Create a spatial raster, as the ones provided by 'terra',
from regular pictures.

License MIT + file LICENSE

URL <https://dieghernan.github.io/rasterpic/>,
<https://github.com/dieghernan/rasterpic>

BugReports <https://github.com/dieghernan/rasterpic/issues>

Depends R (>= 3.6.0)

Imports png (>= 0.1-5), sf (>= 1.0.0), terra (>= 1.4-22)

Suggests knitr, rmarkdown, testthat (>= 3.0.0), tidyterra, vdiff (>= 1.0.0)

VignetteBuilder knitr

Config/testthat/edition 3

Encoding UTF-8

RoxygenNote 7.2.0

NeedsCompilation no

Author Diego Hernangómez [aut, cre, cph]
(<https://orcid.org/0000-0001-8457-4658>)

Maintainer Diego Hernangómez <diego.hernangomezherrero@gmail.com>

Repository CRAN

Date/Publication 2022-06-10 11:30:02 UTC

R topics documented:

asp_ratio	2
rasterpic_img	2

Index	7
--------------	----------

asp_ratio	<i>Compute aspect ratio of an object</i>
-----------	--

Description

Helper function. Ratio is computed as width/height (or col/rows).

Usage

```
asp_ratio(x)
```

Arguments

x A `SpatRaster` object, an `sf/sfc` object or a numeric vector of length 4 with coordinates `c(xmin, ymin, xmax, ymax)`, as created by `sf::st_bbox()`

Value

The aspect ratio

Examples

```
library(terra)

x <- rast(system.file("tiff/elev.tiff", package = "rasterpic"))
plot(x)
asp_ratio(x)
```

rasterpic_img	<i>Convert an image to a geo-tagged raster</i>
---------------	--

Description

Geotags an image based on the coordinates of a given spatial object.

Usage

```
rasterpic_img(
  x,
  img,
  halign = 0.5,
  valign = 0.5,
  expand = 0,
  crop = FALSE,
  mask = FALSE,
```

```

    inverse = FALSE,
    crs
  )

```

Arguments

x	<p>It could be</p> <ul style="list-style-type: none"> • A sf, sfc, sfg or bounding box (see <code>sf::st_bbox()</code>) object (sf package). • A SpatRaster, SpatVector or SpatExtent object (terra package). • A numeric vector of length 4 with the extent to be used for geotagging (i.e. <code>c(xmin, ymin, xmax, ymax)</code>).
img	<p>An image to be geotagged. It can be a local file or an online file (e.g. "https://i.imgur.com/6yHmlwT.jpeg") The following image extensions are accepted:</p> <ul style="list-style-type: none"> • png • jpeg/jpg • tiff/tif
halign	<p>Horizontal alignment of img with respect to the x object. It should be a value between 0 (x is aligned on the left edge of the raster) and 1 (x is on the right edge of the raster).</p>
valign	<p>Vertical alignment of img with respect to the x object. It should be a value between 0 (x is aligned on the bottom edge of the raster) and 1 (x is on the top edge of the raster).</p>
expand	<p>An expansion factor of the bounding box of x. 0 means that no expansion is added, 1 means that the bounding box is expanded to double the original size.</p>
crop	<p>Logical. Should the raster be cropped to the (expanded) bounding box of x?</p>
mask	<p>Logical. Should the raster be masked to x? See <code>terra::mask()</code> for details. This option is only valid if x is a sf/sfc object.</p>
inverse	<p>Logical. It affects only if mask = TRUE. If TRUE, areas on the raster that do not overlap with x are masked.</p>
crs	<p>Character string describing a coordinate reference system. This parameter would only affect if x does not present a Coordinate Reference System (e.g. when x is a SpatExtent, sfg bbox or a vector of coordinates). See Details</p>

Details

The function preserves the Coordinate Reference System of the x object. For optimal results do not use geographic coordinates (longitude/latitude).

crs can be in a WKT format, as a "authority:number" code such as "EPSG:4326", or a PROJ-string format such as "+proj=utm +zone=12". It can be also retrieved as `sf::st_crs(25830)$wkt`. See value and **Notes** on `terra::crs()`.

Value

A SpatRaster object.

See Also

[sf::st_crs\(\)](#), [sf::st_bbox\(\)](#), [terra::crs\(\)](#).

Examples

```
library(sf)
library(terra)

x_path <- system.file("gpkg/UK.gpkg", package = "rasterpic")
x <- st_read(x_path, quiet = TRUE)
img <- system.file("img/vertical.png", package = "rasterpic")

# Default config
ex1 <- rasterpic_img(x, img)

class(ex1)

plotRGB(ex1)
plot(x$geom,
     add = TRUE,
     col = NA,
     border = "white",
     lwd = 2
)

# Expand
ex2 <- rasterpic_img(x,
                     img,
                     expand = 0.5
)

plotRGB(ex2)
plot(x$geom,
     add = TRUE,
     col = NA,
     border = "white",
     lwd = 2
)

# Align
ex3 <- rasterpic_img(x,
                     img,
                     halign = 0
)

plotRGB(ex3)
plot(x$geom,
     add = TRUE,
     col = NA,
     border = "white",
```

```
    lwd = 2
  )

# Crop
ex4 <- rasterpic_img(x,
  img,
  crop = TRUE
)

plotRGB(ex4)
plot(x$geom,
  add = TRUE,
  col = NA,
  border = "white",
  lwd = 2
)

# Mask
ex5 <- rasterpic_img(x,
  img,
  mask = TRUE
)

plotRGB(ex5)
plot(x$geom,
  add = TRUE,
  col = NA,
  border = "white",
  lwd = 2
)

# Mask inverse
ex6 <- rasterpic_img(x,
  img,
  mask = TRUE,
  inverse = TRUE
)

plotRGB(ex6)
plot(x$geom,
  add = TRUE,
  col = NA,
  border = "white",
  lwd = 2
)

# Combine Mask inverse and crop
ex7 <- rasterpic_img(x,
  img,
  crop = TRUE,
  mask = TRUE,
```

```
    inverse = TRUE
  )

plotRGB(ex7)
plot(x$geom,
     add = TRUE,
     col = NA,
     border = "white",
     lwd = 2
  )
```

Index

`asp_ratio`, 2

`rasterpic_img`, 2

`sf::st_bbox()`, 2–4

`sf::st_crs()`, 4

`terra::crs()`, 3, 4

`terra::mask()`, 3