

# Package ‘rsvg’

May 19, 2020

**Type** Package

**Title** Render SVG Images into PDF, PNG, PostScript, or Bitmap Arrays

**Version** 2.1

**Description** Renders vector-based svg images into high-quality custom-size bitmap arrays using 'librsvg2'. The resulting bitmap can be written to e.g. png, jpeg or webp format. In addition, the package can convert images directly to various formats such as pdf or postscript.

**License** MIT + file LICENSE

**URL** <https://github.com/jeroen/rsvg#readme>

**BugReports** <https://github.com/jeroen/rsvg/issues>

**SystemRequirements** librsvg2

**RoxygenNote** 7.1.0

**Suggests** spelling, svglite, magick, webp, ggplot2, knitr

**Language** en-US

**VignetteBuilder** knitr

**NeedsCompilation** yes

**Author** Jeroen Ooms [aut, cre] (<<https://orcid.org/0000-0002-4035-0289>>)

**Maintainer** Jeroen Ooms <[jeroen@berkeley.edu](mailto:jeroen@berkeley.edu)>

**Repository** CRAN

**Date/Publication** 2020-05-19 15:50:05 UTC

## R topics documented:

rsvg . . . . .	2
<b>Index</b>	<b>4</b>

## Description

Render svg image into a high quality bitmap. When both width and height are NULL, the output resolution matches that of the input. When either width or height is specified, the image is scaled proportionally. When both width and height are specified, the image is stretched into the requested size.

## Usage

```
rsvg(svg, width = NULL, height = NULL, css = NULL)
rsvg_raw(svg, width = NULL, height = NULL, css = NULL)
rsvg_webp(svg, file = NULL, width = NULL, height = NULL, css = NULL)
rsvg_png(svg, file = NULL, width = NULL, height = NULL, css = NULL)
rsvg_pdf(svg, file = NULL, width = NULL, height = NULL, css = NULL)
rsvg_svg(svg, file = NULL, width = NULL, height = NULL, css = NULL)
rsvg_ps(svg, file = NULL, width = NULL, height = NULL, css = NULL)
```

## Arguments

svg	path/url to svg file or raw vector with svg data. Use <a href="#">charToRaw</a> to convert an SVG string into raw data.
width	output width in pixels or NULL for default.
height	output height in pixels or NULL for default
css	path/url to external css file or raw vector with css data. This requires your system has a recent version of librsvg.
file	path to output file or NULL to return content as raw vector

## Examples

```
# create some svg
options(example.ask=FALSE)
tmp <- tempfile()
svglite::svglite(tmp, width = 10, height = 7)
ggplot2::qplot(mpg, wt, data = mtcars, colour = factor(cyl))
dev.off()

# convert directly into a bitmap format
rsvg_pdf(tmp, "out.pdf")
```

```
rsvg_png(tmp, "out.png")
rsvg_svg(tmp, "out.svg")
rsvg_ps(tmp, "out.ps")

# render into raw bitmap array
bitmap <- rsvg(tmp, height = 1440)
dim(bitmap) # h*w*c

# read in your package of choice
magick::image_read(bitmap)
webp::write_webp(bitmap, "bitmap.webp", quality = 100)

# cleanup
unlink(c("out.pdf", "out.png", "out.svg", "out.ps", "bitmap.webp"))
```

# Index

[charToRaw](#), 2

[rsvg](#), 2

[rsvg\\_pdf \(rsvg\)](#), 2

[rsvg\\_png \(rsvg\)](#), 2

[rsvg\\_ps \(rsvg\)](#), 2

[rsvg\\_raw \(rsvg\)](#), 2

[rsvg\\_svg \(rsvg\)](#), 2

[rsvg\\_webp \(rsvg\)](#), 2